



TRIBOMAR[®]
onboard fluid management

2nd Generation

Hello!

TriboVis Pro 2

Viscosity & Density Test



+49 40 7309 1399 0



Info@Tribomar.com



www.Tribomar.com



Onboard Fluid Management

Fuel Management

Viscosity

Density



TriboVis Pro 2



The TriboVis Pro 2 is an electronic falling ball viscosity meter provided with an inbuilt heating system for all kinds of fuels and lubricants.

Viscosity


- Viscosity measurement at customized temperatures up to 100 °C
- Range up to 1.000 cSt
- Includes measurement of gas oil

Density

- Determination of fuels
- Determination of lubricants
- Measuring temperature at 40 °C

The device is also applicable for simple compatibility tests

Quick Guide



TriboVis Pro 2

With our latest generation device it is now possible to determine the viscosity and density *simultaneously*. From now on you will only need *one device*.

Due to the revised testing procedure achieving an instant viscosity and density result got substantially *less complex* and *20% more time efficient*.

Order No.: #1121



For best cleaning results we recommend:
Organic Cleaning Agent
#1727



12H
8
6
4
2
12H
8
6
4
2
11H
8



TRIBOMAR[®]
onboard fluid management

Tribomar GmbH
Biedenkamp 3e
21509 Glinde / Hamburg
Germany
Tel. +49 40 7309 1399 0
Info@Tribomar.com
www.tribomar.com